

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alcassedan, Virginia 22313-1450 www.emplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/552,048	10/04/2005	Cornelis Hermanus Van Berkel	NL 030348	6163
65913 NXP, B,V,	7590 01/29/201	0	EXAMINER	
NXP INTELLECTUAL PROPERTY & LICENSING			YAARY, MICHAEL D	
M/S41-SJ 1109 MCKAY	DRIVE		ART UNIT	PAPER NUMBER
SAN JOSE, C.			2193	•
			NOTIFICATION DATE	DELIVERY MODE
			01/29/2010	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ip.department.us@nxp.com

Supplemental Notice of Allowability

Application No.	Applicant(s)	
10/552,048	VAN BERKEL ET AL.	
Examiner	Art Unit	1
MICHAEL VAARV	2103	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

 This communication is responsive to 08/24/2009. The allowed claim(s) is/are 1, 2, and 4-8 renumbered as 1-7. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) \(\subseteq \text{Some*} \) c) \(\subseteq \text{None} \) of the: a) \square All 1. T Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: _____. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6.

DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. | Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) Interview Summary (PTO-413), Paper No./Mail Date Information Disclosure Statements (PTO/SB/08). 7. X Examiner's Amendment/Comment Paper No./Mail Date 4. T Examiner's Comment Regarding Requirement for Deposit 8. T Examiner's Statement of Reasons for Allowance of Biological Material Other . /Lewis A. Bullock, Jr./ Supervisory Patent Examiner, Art Unit 2193

Application/Control Number: 10/552,048 Page 2

Art Unit: 2193

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the specification, page 4, line 5, replace "claim 3" with "claim 1"

In the specification, page 4, line 8, replace "claim 4" with "claim 3"

In the specification, page 4, line 10, replace "claim 5" with "claim 4"

In the specification, page 4, line 13, replace "claim 6" with "claim 5"

In the specification, page 4, line 15, replace "claim 7" with "claim 6"

In the specification, page 4, line 21, replace "claim 8" with "claim 7"

Application/Control Number: 10/552,048

Art Unit: 2193

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL YAARY whose telephone number is (571)270-1249. The examiner can normally be reached on Mon-Fri 9 a.m.-5:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lewis Bullock can be reached on 571-272-3759. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/M. Y./ Examiner, Art Unit 2193

/Lewis A. Bullock, Jr./ Supervisory Patent Examiner, Art Unit 2193